


# Workshop fixtures: Work places and storage cabinets

for vocational training and creative learning in schools and academies



Technology bench	3
Workbench	8
Jewellers bench	11
Line bench	13
Work table	15
Tool rack	16
Cabinet XL-21	17



BM | lervad

2022

### When you want it right, you must choose right!

Lervad is synonymous with quality furniture and accessory for the creative and practical teaching of Design & Technology in schools, colleges and other educational institutions.

Our palette of benches and tables includes flexible technology benches, flush top benches, work tables and age-fitted work centres. Our roller shutter cabinets are space saving and are used for general storage or as functionally fitted tool cabinets.

Everything is highest quality and design - functional and visual.

It is our obligation to be at the forefront of the development in demands and wishes among the users. Thus, our catalogue is a static picture of our program of standard solutions only. Please note that our product palette and specifications change over time.

If you do not find what you are looking for when browsing the catalogue, we still like to help you. We also offer solutions to customer specifications. Feel free to contact us for further information.

We trust you will enjoy yourself.

**BM | lervad**

LERVAD (U.K.) Ltd.

Tel: +44 (0)203 808 6965

mail@lervad.com

www.lervad.com

### Who we are!

For more than 100 years Lervad has provided furniture and fixtures to workshops designed for the vocational training.

Today's product program is the result of development over decades. Experiences and ideas from the millions of users over the years have found way into careful adjustments of the various solutions offered. A process of continuous modernizing keeping good practise in focus.

Today Lervad workshop equipment is manufactured by BM Industri A/S, which Lervad forms part of.

Lervad products are manufactured at a modern furniture plant with state of the art machinery and in-house surface treatment. With own assembly facilities BM Industri offers client to source fully assembled ready to use furniture solutions.

BM Industri markets own brands (e.g. Lervad) and works as a renowned partner for other companies in the furniture and building industry.

For more information please look up the respective websites.

[www.bmindustri.dk](http://www.bmindustri.dk) - [www.flexpanel.dk](http://www.flexpanel.dk) - [www.lervad.com](http://www.lervad.com)

## Prices and delivery

### Prices

All prices are exclusive of VAT.

Delivery is free to all UK mainland addresses for orders with a value above £ 3,000 excl. VAT. For orders with a value below £ 3,000 excl. VAT a handling and delivery charge applies as follows:

Order value up to	£ 500	£ 1,000	£ 2,000	£3,000
Charge	£ 90	£ 140	£ 250	£ 300

### Price validity

Our listed prices are without obligation. For actual valid prices please check our website or call our office.

### Time of delivery

The time of delivery will be informed on receipt of order. Normally delivery takes place within 4-5 weeks from receipt of formal order.

### Packing

Technology benches, workbenches and work tables are packed disassembled in pallet containers and boxes together with assembly instruction. Cabinets are packed fully assembled.

Pallets are invoiced at cost price.

### Delivery

Deliveries are made by trucks with tail lift.

All packing materials are included in the prices, however, assembly and placing in the rooms are not included.

### Payment

Terms of payment are net within 15 days from date of invoice subject to credit approval.

## Single technology bench



Lervad technology bench is for workshops with the highest functionality in focus. The bench has integrated tool well, woodwork vices and 2 rows for bench dogs.

**Single technology bench** is available in two different sizes, 80 cm or 132 cm long.

For frequent height adjustment the bench is available with an adjustable frame. And for wheel chair users the bench with an additional tilt functions is ideal.



## 4-Place technology bench

**4-Place technology bench** is a compact solution with 4 work places around a square top of 120 x 120 cm. In the centre a common tool well is integrated.

The base may have an integrated cupboard giving extra space for storage.

Or you may choose a height-adjustable version. Alternatively, Lervad 60 mm height converter may be fitted to the frame.



## Group technology bench



**Group technology bench** has all the same features as single technology bench.

Organizing more benches in a group saves space and adds to the versatility of each bench.

Height adjustable benches and benches for special needs may be fully integrated.





# Technology bench

## Multi-functional workspace



### Easy conversion for different tasks

With protective covers and mechanics vices on a vice holders the workshop is ready for metal work.  
For ordinary desk work flush tops are applied on to the bench.  
When not in use flush tops and protective covers are conveniently accommodated on a purpose designed trolley.

### Additional storage

On 4-Place technology bench storage is provided by integrating a shelf to the frame.  
And even more storage space by choosing an integrated cupboard. It has two sections with access from opposing sides both equipped with a quality lock.





### Ergonomics and flexibility

Correct working position is best achieved when choosing a height adjustable bench.  
For special needs students the angle- and height adjustable bench is preferred. Choosing this the student gets same working options as regular students.

## Planning with group technology bench

The group technology benches are placed in one or more groups and may include short and long benches as well as a mix of right- and left-handed.  
Adjustable benches could be integrated in a group, too.  
In singlesided groups the tool well should be fixed to a wall or provided with supporting legs.  
Group benches are multifunctional. Designed for woodwork and with accessories for both metal work and flush top work.







## Dimensions of typical groups

4 places  
L/W: 1500 x 1850

6 places  
L/W: 2500 x 1850

8 places  
L/W: 3500 x 1850



10 places  
L/W: 4500 x 1850





# Technology bench

Product program and prices (NB! Illustrations may include accessories)



Item no.	Single technology bench with open gate frame				Price excl. VAT	
609 40 72	Bench top L=800 mm	right-handed	height	72 cm	£	680.-
609 40 78	-	-	-	78 cm		
609 40 83	-	-	-	83 cm		
609 41 72	-	left-handed	-	72 cm		
609 41 78	-	-	-	78 cm		
609 41 83	-	-	-	83 cm		
610 10 78	Bench top L=1320 mm	right-handed	-	72 cm	£	870.-
610 10 83	-	-	-	83 cm		
610 11 78	-	left-handed	-	72 cm		
610 11 83	-	-	-	83 cm		

Item no.	Single technology bench with height integrated cupboard				Price excl. VAT	
610 30 78	Bench top L=1320 mm	right-handed	-	79 cm		1150.-
610 30 83	-	-	-	83 cm		
610 31 78	-	left-handed	-	79 cm		
610 31 83	-	-	-	83 cm		

Item no.	Single technology bench with height adjustable frame				Price excl. VAT	
609 70 68	Bench top L=800 mm	right-handed	height	68 - 96 cm	£	1710.-
609 71 68	-	left-handed	-	68 - 96 cm		
610 70 68	Bench top L=1320 mm	right-handed	-	68 - 96 cm	£	1820.-
610 71 68	-	left-handed	-	68 - 96 cm		

Item no.	Single technology bench with angle and height adjustable frame				Price excl. VAT	
610 80 70	Bench top L=1320 mm	right-handed	height	70 - 100 cm	£	2470.-
610 81 70	-	left-handed	-	70 - 100 cm		

Item no.	Single technology bench accessories				Price excl. VAT	
652 51 01	Holder for hammer and try square incl. screws for mounting				£	15.-
652 51 02	Clamping sublayer unit incl. screws for mounting				£	15.-
105 00 500	Portable Mechanics Vice, Record, 75 mm jaw width				£	110.-
640 02 00	Holder for Portable Mechanics Vice				£	60.-
660 20 00	Protective cover for model 609,	right-handed			£	80.-
660 20 01	-	left-handed				
660 21 00	Protective cover for model 610,	right-handed			£	100.-
660 21 01	-	left-handed				

Item no.	4-place technology bench with open gate frame				Price excl. VAT	
632 50 76	Bench top 1200 x 1200 mm	right-handed	height	76 cm	£	1590.-
632 50 79	-	-	-	79 cm		
632 50 83	-	-	-	83 cm		
632 51 76	-	left-handed	-	76 cm		
632 51 79	-	-	-	79 cm		
632 51 83	-	-	-	83 cm		

Item no.	4-place technology bench with integrated cupboard				Price excl. VAT	
632 30 76	Bench top 1200 x 1200 mm	right-handed	height	76 cm	£	2000.-
632 30 79	-	-	-	79 cm		
632 30 83	-	-	-	83 cm		
632 31 76	-	left-handed	-	76 cm		
632 31 79	-	-	-	79 cm		
632 31 83	-	-	-	83 cm		

Item no.	4-place technology bench with height adjustable frame				Price excl. VAT	
632 70 71	Bench top 1200 x 1200 mm	right-handed	height	68 - 96 cm	£	2700.-
632 71 71	-	left-handed	-	68 - 96 cm		

# Technology bench

## Product program and prices (continued)

Item no.	4-place technology bench accessories		Price excl. VAT
646 00 00	Height Converter	factory mounted	£ 100.-
643 00 00	Jockey-wheels	factory mounted	£ 60.-
647 00 40	Shelf of birch plywood		£ 60.-
640 07 00	Rails for accomodating tool racks	factory mounted	£ 80.-
626 32 00	Flip tool well		£ 100.-
654 14 00	Flush Top 1400 x 700 mm	NB! 2 pcs. per bench	£ 150.-
659 14 00	Trolley for up to 12 Flush Tops		£ 650.-
946 14 00	Wall storage for up to 12 Flush Top		£ 500.-
105 00 500	Mechanics Vice	Record 75 mm jaw width	£ 110.-
640 01 00	Holder for Mechanics Vice		£ 60.-
660 32 26	Protective Cover	NB! 4 pcs. per bench	£ 70.-
661 02 00	Wall fixture for 12 Protective Covers		£ 60.-



Item no.	Group technology bench with open gate frame			Price excl. VAT
620 40 72	Bench top L=800 mm	right-handed	height 72 cm	£ 590.-
620 40 78	-	-	78 cm	
620 40 83	-	-	83 cm	
620 41 72	-	left-handed	72 cm	
620 41 78	-	-	78 cm	
620 41 83	-	-	83 cm	
621 40 72	Bench top L=1320 mm	right-handed	72 cm	£ 650.-
621 40 78	-	-	78 cm	
621 40 83	-	-	83 cm	
621 41 65	-	left-handed	65 cm	
621 41 78	-	-	78 cm	
621 41 83	-	-	83 cm	

Item no.	Group technology bench with height adjustable frame			Price excl. VAT
620 70 68	Bench top L=800 mm	right-handed	height 68 - 96 cm	£ 1650.-
620 71 68	-	left-handed	68 - 96 cm	
621 70 68	Bench top L=1320 mm	right-handed	68 - 96 cm	£ 1760.-
621 71 68	-	left-handed	68 - 96 cm	

Item no.	Group technology bench with angle and height adjustable frame			Price excl. VAT
621 80 70	Bench top L=1320 mm	right-handed	height 70 - 100 cm	£ 2410.-
621 81 70	-	left-handed	70 - 100 cm	

Item no.	Group technology bench accessories		Price excl. VAT
626 10 00	Assembly tool well	1000 mm	£ 170.-
626 15 00	-	1500 mm	£ 200.-
626 00 72	Supporting leg for tool well	height 72 cm	£ 50.-
626 00 78	-	height 78 cm	
626 00 83	-	height 83 cm	
652 51 01	Holder for hammer and try square incl. screws for mounting		£ 15.-
652 51 02	Clamping sublayer unit incl. screws for mounting		£ 15.-
654 15 00	Flush Top 1500 x 880 mm		£ 190.-
659 15 00	Trolley for 12 Flush Tops		£ 650.-
946 15 00	Wall storage for 12 Flush Tops		£ 500.-
105 00 500	Mechanics Vice, Record	75 mm jaw width	£ 110.-
640 02 00	Holder for Mechanics Vice		£ 60.-
660 20 00	Protective Cover for model 620	right-handed	£ 80.-
660 20 01	-	left-handed	
660 21 00	Protective Cover for model 621	right-handed	£ 100.-
660 21 01	-	left-handed	

# Technology bench

## Specifications and measurements

Model		609	610	620	621	632
L/W - Top (tool well at the end)	mm	980 x 650 (270)	1500 x 695 (270)			
L/W - Top (tool well at the side)	mm		1320 x 695 (270)			
L/W - Top				800 x 515 (270)	1320 x 515 (270)	1200 x 1200
With open gate frame						
- height	cm	72, 78, 83	78, 83	72, 78, 83	72, 78, 83	76, 79, 83
- weight	kg	25	37	25	37	70
With integrated cupboard						
- W/H/D cupboard	mm		1100 x 540 x 250			680 x 600 x 770
- height	cm		78, 83			76, 79, 83
- weight	kg		54			78
With height adjustable frame						
- height	cm	68 - 96	68 - 96	68 - 96	68 - 96	68 - 96
- weight	kg	36	48	36	48	82
With angle, height adjustable frame						
- height	cm		70 - 100		70 - 100	
- weight	kg		48		48	



# Flush top workbench


## Square flush top workbench



Lervad flush top workbench has a 40 mm solid beech top. The bench, with 2 or 4 places, is designed for multiple tasks with easy change from one operation to another.

**Square flush top workbench** has 4 working places around a 120 x 120 cm plain top or top with flip tool well.

The bench is available with open frame of solid beech, with shelf, integrated cupboard or height adjustable frame.



## Rectangular flush top workbench

The rectangular workbench has 2 or 4 working places around a 810 mm wide top. There is a choice between 3 different lengths 120, 150 and 180 cm.

The bench is available with open frame of solid beech, with shelf, integrated cupboard or height adjustable frame.



## Functional options

### Flexibility

Most benches are used as multi-function workbenches and Lervad's range of accessories shows its worth as portable or fixed features.

The woodwork vice has wooden jaws and for metalwork there is a choice between a small portable 75 mm mech. vice and a large fixed 100 mm mech. vice.

### Ergonomics

Flush top workbench is available with a height adjustable frame for free setting of the working height.

As alternative Lervad height converter fitted to the open gate frame may adjust the height by 60 mm.

For easy moving you may choose to mount Jockey-wheels at the one end gate.



# Flush top workbench

Product program and prices (NB! Illustrations may include accessories)



Item no.	Flush top 1200 x 1200 mm with open gate frame			Price excl. VAT	
634 50 79	Flush solid beech	height	79 cm	£	620.-
634 50 83	-	-	83 cm		
634 52 79	Solid beech w/ flip tool well	-	79 cm	£	690.-
634 52 83	-	-	83 cm		



Item no.	Flush top 1200 x 1200 mm with integrated cupboard			Price excl. VAT	
634 30 79	Flush solid beech	height	79 cm	£	1060.-
634 30 83	-	-	83 cm		
634 32 79	Solid beech w/ flip tool well	-	79 cm	£	1130.-
634 32 83	-	-	83 cm		



Item no.	Flush top 1200 x 1200 mm with height adjustable frame			Price excl. VAT	
634 70 67	Flush solid beech	height	64-92 cm	£	1810.-
634 72 67	Solid beech w/ flip tool well	-	64-92 cm	£	1880.-



Item no.	Flush top 1200 x 750 mm with open gate frame			Price excl. VAT	
636 10 79	Flush solid beech	height	79 cm	£	530.-
636 10 83	-	-	83 cm		



Item no.	Flush top 1200 x 810 mm with integrated cupboard			Price excl. VAT	
636 30 79	Flush solid beech	height	79 cm	£	880.-
636 30 83	-	-	83 cm		



Item no.	Flush top 1200 x 810 mm with height adjustable frame			Price excl. VAT	
636 70 67	Flush solid beech	height	64-92 cm	£	1530.-



Item no.	Flush top 1500 x 810 mm with open gate frame			Price excl. VAT	
637 15 79	Flush solid beech	height	79 cm	£	590.-
637 15 83	-	-	83 cm		



Item no.	Flush top 1500 x 810 mm with integrated cupboard			Price excl. VAT	
637 35 79	Flush solid beech	height	79 cm	£	940.-
637 35 83	-	-	83 cm		



Item no.	Flush top 1500 x 810 mm with height adjustable frame			Price excl. VAT	
637 75 67	Flush solid beech	height	64-92 cm	£	1590.-



Item no.	Flush top 1500 x 810 mm with open gate frame			Price excl. VAT	
638 10 79	Flush solid beech	height	79 cm	£	650.-
638 10 83	-	-	83 cm		



Item no.	Flush top 1500 x 810 mm with integrated cupboard			Price excl. VAT	
638 30 79	Flush solid beech	height	79 cm	£	1060.-
638 30 83	-	-	83 cm		



Item no.	Flush top 1500 x 810 mm with height adjustable frame			Price excl. VAT	
638 70 67	Flush solid beech	height	64-92 cm	£	1650.-



Item no.	Flush top 1800 x 900 mm with open gate frame			Price excl. VAT	
639 15 79	Flush solid beech	height	79 cm	£	710.-
639 15 83	-	-	83 cm		



Item no.	Flush top 1800 x 900 mm with integrated cupboard			Price excl. VAT	
639 35 79	Flush solid beech	height	79 cm	£	1120.-
639 35 83	-	-	83 cm		



Item no.	Flush top 1800 x 900 mm with height adjustable frame			Price excl. VAT	
639 75 67	Flush solid beech	height	64-92 cm	£	1710.-

# Flush top workbench

Product program and prices (NB! Illustrations may include accessories)

Item no.	Flush top accessories	Price excl. VAT
646 00 00	Height converter	£ 100.-
643 00 00	Jockey-wheels	£ 60.-
640 07 00	Rails for tool racks	for model 634 £ 80.-
647 00 40	Shelf of birch plywood	for model 634 £ 60.-
647 00 13	-	for model 636 and 637 £ 100.-
647 00 16	-	for model 638 and 639 £ 110.-
640 06 50	Woodcraft vice	Record V175, incl. fitting with wooden jaws £ 130.-
105 00 600	Mechanics vice	Record 100 mm jaw width £ 110.-
105 00 500	-	Record 75 mm jaw width £ 110.-
640 03 00	Holder for mech. vice	Record 75 mm jaw width £ 100.-
677 12 00	Protective steel rail	1200 mm, for model 634 & 636 £ 45.-
677 15 00	-	1500 mm, for model 637 & 638 £ 55.-
677 18 00	-	1800 mm, for model 639 £ 65.-

## Specifications and measurements

Model		634	636	637	638	639
Bench top L/W	mm	1200 x 1200	1200 x 810	1500 x 810	1500 x 810	1800 x 810
With open gate frame						
- height	cm	79, 83	79, 83	79, 83	79, 83	79, 83
- weight	kg	55	46	54	54	62
With integrated cupboard						
- W/H/D	mm	680/600/770	1100/540/600	1100/540/600	1390/540/600	1390/540/600
- height	cm	79, 83	79, 83	79, 83	79, 83	79, 83
- weight	kg	68	60	68	73	81
With height adjustable frame						
- height	cm	64 - 92	64 - 92	64 - 92	64 - 92	64 - 92
- weight	kg	73	60	68	68	76



## Jewellers line bench



**Jewellers line bench** is modular and comes with 1 or 2 working places. Jewellers bench has a 30 mm worktop of solid beech. The circular profile at the front edge gives the user a perfect working position. At the centre of the profile an anvil and a grinding support are inserted as ideal working tools. Jewellers line bench may be ordered bespoke with as many working places in line as you wish.



## 4 place jewellers bench

Lervad 4 place jewellers bench is a square 120x120 cm with a working place at each side. The circular profile at the front edge gives the user a perfect working position. The bench has a base frame of beech/birch with plenty of leg room or a height adjustable steel frame.









## Take care of the valuables

To minimise loss of valuables your work place may be equipped with a canvas lap skin. The skin catches excess material and protects your clothing at the same time. The skin - formed like an open bag - has metal eyes fixed to hooks underneath the top and a line for your waist.

# Jewellers bench

Product program and prices (NB! Illustrations may include accessories)

	Item no. Jewellers line bench D=600 mm				Price excl. VAT		
	693 10 79	Jewellers bench 850 x 600 mm, 1 working place	height	79 cm	£	560.-	
	693 10 83	-	-	83 cm			
	694 10 79	Jewellers bench 1650 x 600 mm, 2 working places	-	79 cm	£	930.-	
	694 10 83	-	-	83 cm			
	<hr/>						
	Item no. Jewellers line bench D=600 mm				Price excl. VAT		
	695 10 79	Jewellers bench 850 x 750 mm, 1 working place	height	79 cm	£	590.-	
	695 10 83	-	-	83 cm			
	696 10 79	Jewellers bench 1650 x 750 mm, 2 working places	-	79 cm	£	980.-	
	696 10 83	-	-	83 cm			
	<hr/>						
	Item no. Jewellers square bench				Price excl. VAT		
	698 10 79	Jewellers bench 1200 x 1200 mm, 4 working places	height	79 cm	£	1590.-	
	698 10 83	-	-	83 cm			
	698 70 67	-	Height adjustable	-	63 - 91 cm	£	2700.-
	<hr/>						
		Item no. Jewellers bench accessories				Price excl. VAT	
066 90 00		Grinding support			£	40.-	
000 80 97		Anvil			£	70.-	
102 00 000		Jewellers lap skin (canvas) incl. hooks for hanging			£	180.-	
<hr/>							
		Item no. Jewellers bench accessories				Price excl. VAT	
	066 90 00	Grinding support			£	40.-	
	000 80 97	Anvil			£	70.-	
	102 00 000	Jewellers lap skin (canvas) incl. hooks for hanging			£	180.-	
	<hr/>						
		Item no. Jewellers bench accessories				Price excl. VAT	
066 90 00		Grinding support			£	40.-	
000 80 97		Anvil			£	70.-	
102 00 000		Jewellers lap skin (canvas) incl. hooks for hanging			£	180.-	

## Specifications and measurements

Model		693	694	695	696	698
Bench top L/W	mm	850 x 600	1650 x 600	850 x 750	1650 x 750	1200 x 1200
With open gate frame						
- height	cm	79, 83	79, 83	79, 83	79, 83	79, 83
- weight	kg	24	42	27	48	55
With height adjustable frame						
- height	cm					63 - 91
- weight	kg					73



Lervad Line bench meets the demand for benching along walls or in free standing groups neck to neck. The bench has a 30 mm thick bench top of solid beech.

Line bench comes in a short and a long version and is made for accommodating light machinery.

On castors the small bench is ideal as movable workbench.



## Product program and prices (NB! Illustrations may include accessories)

	<b>Item no.</b>	<b>Line bench with open gate frame</b>			<b>Price excl. VAT</b>
	673 10 79	Bench top 850 x 600 mm	height	79 cm	£ 450.-
	673 10 83	-	-	83 cm	
	674 10 79	Bench top 1650 x 600 mm	-	79 cm	£ 680.-
	674 10 83	-	-	83 cm	
	<b>Item no.</b>	<b>Line bench with integrated cupboard</b>			<b>Price excl. VAT</b>
	673 30 79	Bench top 850 x 600 mm	height	79 cm	£ 780.-
	673 30 83	-	-	83 cm	
	674 30 79	Bench top 1650 x 600 mm	-	79 cm	£ 1340.-
	674 30 83	-	-	83 cm	
	<b>Item no.</b>	<b>Line bench with open gate frame</b>			<b>Price excl. VAT</b>
	675 10 79	Bench top 850 x 750 mm	height	79 cm	£ 490.-
	675 10 83	-	-	83 cm	
	676 10 79	Bench top 1650 x 750 mm	-	79 cm	£ 750.-
	676 10 83	-	-	83 cm	
	<b>Item no.</b>	<b>Line bench with integrated cupboard</b>			<b>Price excl. VAT</b>
	675 30 79	Bench top 850 x 750 mm	height	79 cm	£ 840.-
	675 30 83	-	-	83 cm	
	676 30 79	Bench top 1650 x 750 mm	-	79 cm	£ 1400.-
	676 30 83	-	-	83 cm	
	<b>Item no.</b>	<b>Line bench accessories</b>			<b>Price excl. VAT</b>
	643 10 00	Set of castors, 2 with and 2 without brake	for model 673 & 675		£ 90.-
	640 06 55	Woodcraft vice 220 mm	Record V175, incl. fitting with wooden jaws		£ 130.-
	647 00 30	Shelf of birch plywood	for model 673 & 674		£ 70.-
	647 00 33	Shelf of birch plywood	for model 675 & 676		£ 90.-



## Specifications and measurements


Model		673	674	675	676
Bench top L/W	mm	850 x 600	1650 x 600	850 x 750	1650 x 750
With open gate frame					
- height	cm	79, 83	79, 83	79, 83	79, 83
- weight	kg	24	42	27	48
With integrated cupboard					
- cupboards	no.	1	2	1	2
- cupboard W/H/D	mm	810/540/450			810/540/450
- height	cm	79, 83	79, 83	79, 83	79, 83
- weight	kg	40	74	50	94



Lervad craft table is a durable table for work with practically all types of materials. It has a top of 30 mm solid beech with a very solid base frame.

If you value good ergonomics, you should choose the height adjustable version. Alternatively using Lervad's 60 mm height converter you may choose between two working heights.

A set of Jockey-wheels on one end gate assures easy moving.



## Product program and prices (NB! Illustrations may include accessories)

Item no.	Craft table 1500 x 1000 mm				Price excl. VAT	
686 10 73	30 mm solid beech	solid beech frame	-	73 cm	£	650.-
686 10 79	-	-	-	79 cm		
686 10 83	-	-	-	83 cm		
686 70 63	30 mm solid beech	height adjustable frame	-	63 - 91 cm	£	1710.-

Item no.	Craft table 1800 x 1000 mm				Price excl. VAT	
687 10 73	30 mm solid beech	solid beech frame	-	73 cm	£	710.-
687 10 79	-	-	-	79 cm		
687 10 83	-	-	-	83 cm		
687 70 63	30 mm solid beech	height adjustable frame	-	63 - 91 cm	£	1760.-

Item no.	Craft table accessories		Price excl. VAT	
646 00 00	Height Converter		£	100.-
643 00 00	Jockey-wheels		£	55.-
647 00 13	Shelf of birch plywood	for model 684	£	100.-
647 00 16	-	for model 686 and 687	£	110.-

## Specifications and measurements

Model	686		687	
Table top L/W	mm	1500 x 1000		1800 x 1000
Open gate frame				
- height	cm	73, 79, 83		73, 79, 83
- weight	kg	56		62
Height adjustable frame				
- height	cm	63 - 91		63 - 91
- weight	kg	62		68



Safety and responsibility are key words when dealing with tools. When using Lervad portable tool rack all frequently used tools are directly accessible for each student. At the same time traffic in the workshop is reduced.

In combination with Lervad roller shutter cabinet the portable tool rack system makes surveillance and control a simple task.



### Built to specifications

Lervad portable tool rack has a finished interior prepared for standard tool set.

For customers with own tool set the racks may be built to user specifications.

Alternatively plain racks for own finishing are available.



## Product program and prices (NB! Illustrations may include accessories)

	Item no.	Tool rack, for own finishing			Pris excl. moms	
	652 01 51	Tool Rack	3 layers	with hooks	£	150.-
	652 01 55	-	-	without hooks	£	140.-
	652 97 01	-	2 layers	with hooks	£	110.-
	652 97 05	-	-	without hooks	£	105.-
	Item no.	Tool rack, finished interior			Pris excl. moms	
	652 52 00	Tool Rack	2 layers	for Tool set "15 x tools for wood"	£	120.-
	652 94 00	-	-	for Tool set "15 x tools for metal"	£	120.-
	652 97 00	-	-	for Tool set "15 x tools for wood/metal"	£	120.-
	Item no.	Tool sets			Pris excl. moms	
	652 52 101	Tool set	"15 x tools for wood"		£	290.-
	652 94 101	-	"15 x tools for metal"		£	220.-
	652 97 101	-	"15 x tools for wood/metal"		£	220.-

## Specifications and measurements

Model	652 01 51		652 97 01	
Width / height	mm	340 x 400		340 x 400
Layers	no.	3		2
Depth of tool block	mm	132		92
Weight	kg	3,5		2,2





Lervad roller shutter cabinet is the answer to the constantly demanding requirement for storage. Roller Shutters require less space and make the interior easy accessible.

For safety reason the roller shutter opens downwards. When turning the key the shutter coils up in the base self-braking bringing it to a gentle halt.



### Functional cabinet siding

The sidings have three lines of holes used for building flexible interiors.

The holes are used for fixing shelves and in tool cupboards for the fixing of racks and back panels for the accommodation of tools.



### Maximize your storage space

Top cabinets may be added to standard high cabinets building a complete cabinet wall.

The position of the top cabinet is secured by guiding dowels between the top and bottom cabinets.

### Quality for active use

Roller shutter cabinet LX-21 is designed for use in stressful environments.

All elements are made from birch plywood. The sidings are 21 mm, all horizontal parts are 18 mm and the backing is 9 mm. Assembled in robust design it is the assurance for yearlong use in workshops and other tough environments.

### Individual fitting

When used as tool cupboards the cabinet is provided with fitting precisely adapted to the set of tools to be accommodated, either that being one of Lervads standard tool sets or a user defined set of tools.

All cabinets have a high quality barrel-lock.



# Cabinet LX-21

## Roller shutter cabinet with shelves

### Flexibility in use

Cabinet LX-21 is a robust and perfect solution for general storage with the number of shelves your like, straight or sloped.

All shelves are moveable, of course.



Model 780

W/D/H: 790 x 400 x 1800 mm



Model 800

W/D/H: 1190 x 400 x 1800 mm



Model 900

W/D/H: 990 x 600 x 1800 mm



Model 920

W/D/H: 1190 x 600 x 1800 mm

## Product program and prices (NB! Illustrations may include accessories)

	<b>Item no.</b>	<b>Cabinet with shelves W/D/H: 790 x 400 x 1800 mm</b>	<b>Price excl. VAT</b>	
	780 03 00	Cabinet with	3 shelves	£ 930.-
	780 03 50	-	3 sloping shelves	£ 960.-
	780 04 00	-	4 shelves	£ 980.-
	780 04 50	-	4 sloping shelves	£ 1020.-
	<b>Item no.</b>	<b>Cabinet with shelves W/D/H: 1190 x 400 x 1800 mm</b>	<b>Price excl. VAT</b>	
	800 03 00	Cabinet with	3 shelves	£ 1070.-
	800 03 50	-	3 sloping shelves	£ 1100.-
	800 04 00	-	4 shelves	£ 1130.-
	<b>Item no.</b>	<b>Cabinet with shelves W/D/H: 990 x 600 x 1800 mm</b>	<b>Price excl. VAT</b>	
	900 03 00	Cabinet with	3 shelves	£ 1190.-
	900 03 50	-	3 sloping shelves	£ 1220.-
	900 04 00	-	4 shelves	£ 1250.-
	<b>Item no.</b>	<b>Cabinet with shelves W/D/H: 1190 x 600 x 1800 mm</b>	<b>Price excl. VAT</b>	
	920 03 00	Cabinet with	3 shelves	£ 1340.-
	920 03 50	-	3 sloping shelves	£ 1370.-
	920 04 00	-	4 shelves	£ 1410.-
	<b>Item no.</b>	<b>Top cabinet with 1 shelf</b>	<b>Price excl. VAT</b>	
	781 01 00	Cabinet W/D/H:	790 x 400 x 700 mm	£ 470.-
	801 01 00	-	1190 x 400 x 700 mm	£ 530.-
	901 01 00	-	990 x 600 x 700 mm	£ 590.-
			1190 x 600 x 700 mm	£ 650.-

# Cabinet LX-21

## Roller shutter cabinet with functional interior

### Safety and efficiency

Lervad's functional fitted cabinets are designed with the user's safety and ideal tool control in mind.

Each tool has a unique place. Sharp edges are placed protected preventing accidents and users getting hurt.

### Define your solution

- An all finished solution with standard tool set.
- A standard interior for your own finishing.
- A carcass complemented by exactly those interior components you prefer.



Model 780 55 00

W/D/H: 790 x 400 x 1800 mm



Model 800 53 00

W/D/H: 1190 x 400 x 1800 mm



Model 780 62 00 - virgin

W/D/H: 790 x 400 x 1800 mm



Model 800 76 04 - virgin

W/D/H: 1190 x 400 x 1800 mm

## Product program and prices (NB! Illustrations may include accessories)



Item no.	Cabinet carcass		Price excl. VAT
780 00 00	Cabinet W/D/H:	790 x 400 x 1800 mm	£ 780.-
780 00 90	Shelf	18 x 748 x 345 mm	£ 50.-
780 00 92	Sloping shelf w/ end stop	18 x 748 x 380 mm	£ 60.-
800 00 00	Cabinet W/D/H:	1190 x 400 x 1800 mm	£ 890.-
800 00 90	Shelf	18 x 1148 x 345 mm	£ 60.-
800 00 92	Sloping shelf w/ end stop	18 x 1148 x 380 mm	£ 70.-
900 00 00	Cabinet W/D/H:	990 x 600 x 1800 mm	£ 1010.-
900 00 90	Shelf	18 x 1148 x 545 mm	£ 60.-
800 00 92	Sloping shelf w/ end stop	18 x 1148 x 580 mm	£ 70.-
920 00 00	Cabinet W/D/H:	1190 x 600 x 1800 mm	£ 1130.-
920 00 90	Shelf	18 x 1148 x 545 mm	£ 70.-
920 00 92	Sloping shelf w/ end stop	18 x 1148 x 580 mm	£ 80.-

Item no.	Tool cabinet components		Price excl. VAT
800 00 50	Carcass divider	21 x 345 x 1397 mm	£ 100.-
800 00 91	Shelf	18 x 379 x 345 mm	£ 45.-
800 00 94	Sloping shelf w/ end stop	18 x 379 x 380 mm	£ 55.-
780 00 80	Perforated backplate	15 x 748 x 368 mm	£ 50.-
800 00 80	Perforated backplate	15 x 1148 x 368 mm	£ 75.-
800 00 81	Perforated backplate	15 x 379 x 368 mm	£ 40.-
930 00 10	Tool hooks - set of 10 pcs.	4x 150 mm, 4x 200 mm, 2x 250 mm	£ 50.-
780 00 82	Tool rack "virgin"	42 x 130 x 748 mm	£ 40.-
800 00 82	Tool rack "virgin"	42 x 130 x 1148 mm	£ 60.-
800 00 83	Tool rack "virgin"	42 x 130 x 379 mm	£ 30.-
780 00 93	Rubber layer for sloping shelf	3 x 748 x 362 mm	£ 25.-
800 00 93	Rubber layer for sloping shelf	3 x 1148 x 362 mm	£ 30.-
800 00 95	Rubber layer for sloping shelf	3 x 379 x 362 mm	£ 20.-
780 00 96	Sloping shelf for planes	18 x 748 x 380 mm	£ 80.-
800 00 96	Sloping shelf for planes	18 x 1148 x 380 mm	£ 100.-
800 00 97	Sloping shelf for planes	18 x 379 x 380 mm	£ 55.-



# Cabinet LX-21

Model 780 - Roller shutter cabinet with functional interior (NB! The interior desing may have changed)



**Model 780 54 00**

With one moveable and two fixed shelves.  
Two units with 24 drawers each.




**Model 780 55 00**

For occasional tools for a small workshop.  
(re. tool schedule).




**Model 780 56 00**

For paperwork tools  
(re. tool schedule).



**Model 780 57 00**

For pottery tools  
(re. tool schedule).



**Model 780 60 00**

For leather tools  
(re. tool schedule).



**Model 780 61 00**

For textiles tools  
(re. tool schedule).



**Model 780 63 00**

With 4 shelves fitted for  
12 portable mechanics vices.



**Model 780 64 50**

For 16 sets of student's woodwork tools  
(re. tool schedule)



**Model 780 68 00**

For clamps and sanding paper. 2 beech shelves  
with pins, 3 boxes and 2 shelves



**Model 780 69 00**

For clamps. 2 beech shelves with pins.



**Model 780 70 00**

For occasional woodwork tools  
(re. tool schedule).



**Model 780 71 00**

For occasional metalwork tools  
(re. tool schedule).



# Cabinet LX-21

Model 800 - Roller shutter cabinet with functional interior (NB! The interior desing may have changed)



**Model 800 20 00**

For occasional woodwork tools, 16 students (re. tool schedule).



**Model 800 30 00**

For occasional metalwork tools, 8 students (re. tool schedule).



**Model 800 53 00**

For student's and occasional woodwork tools (re. tool schedule).



**Model 800 62 00**

For student's and occasional metalwork tools (re. tool schedule).



**Model 800 58 00**

With 12 portable drying grates.



**Model 800 59 50**

With 6 portable drying grates, 5 shelves and 2x 6 plastic containers.



**Model 800 63 00**

With 4 shelves fitted for 20 portable mechanics vices.



**Model 800 64 50**

For 24 sets of student's woodwork tools (re. tool schedule).



**Model 800 65 00**

For 20 hacksaw frames and 20 tool racks. (re. tool schedule).



**Model 800 66 00**

For electronics tools (re. tool schedule).



**Model 800 67 00**

For metalwork tools and portable mech. vices. (re. tool schedule).



**Model 800 70 00**

For occasional wood- and metalwork tools (re. tool schedule).

# Cabinet LX-21

Product program and prices (NB! Illustrations may include accessories)

Item no.	"Virgin" tool cabinet	Price excl. VAT
780 62 00	"Virgin" model for cabinet 780 55 00 790 x 400 x 1800 mm	£ 1070.-
800 56 00	"Virgin" model for cabinet 800 53 00 1190 x 400 x 1800 mm	£ 1340.-
800 76 00	"Virgin" model for cabinet 800 70 00 1190 x 400 x 1800 mm	£ 1260.-
800 76 04	"Virgin" model for cabinet 800 70 04 1190 x 400 x 1800 mm	£ 1190.-



For images of cabinets with tools see page 26.

Please note, that interior designs may have changed.

Item no.	Cabinet with fitted interior W/D/H: 790 x 400 x 1800 mm	Price excl. VAT
780 54 00	3 shelves and 2 units with drawers	£ 1100.-
780 55 00	Occasional tools for a small workshop	£ 1160.-
780 56 00	Paperwork tools	£ 1040.-
780 57 00	Pottery tools	£ 1070.-
780 60 00	Leather tools	£ 1070.-
780 61 00	Textiles tools	£ 1160.-
780 63 00	4 shelves fitted for 12 portable mechanics vices	£ 960.-
780 64 50	Woodwork tools, with shelf for planes	£ 1010.-
780 68 00	2 shelves for clamps, 3 boxes for sanding paper, 2 shelves	£ 1390.-
780 69 00	2 shelves for set of clamps	£ 990.-
780 70 00	Occasional woodwork tools	£ 1250.-
780 71 00	Occasional metalwork tools	£ 1180.-



For images of cabinets with tools see page 27.

Please note, that interior designs may have changed.

Item no.	Cabinet with fitted interior W/D/H: 1190 x 400 x 1800 mm	Price excl. VAT
800 20 00	Occasional tools for woodwork	£ 1420.-
800 30 00	Occasional tools for metalwork	£ 1330.-
800 53 00	Student's and occasional woodwork tools	£ 1480.-
800 62 00	Student's and occasional metalwork tools	£ 1590.-
800 58 00	12 portable drying grates	£ 1650.-
800 59 50	6 portable drying grates, 5 shelves and 2 x 6 plastic containers	£ 1550.-
800 63 00	4 shelves for 20 portable mechanics vices	£ 1410.-
800 64 50	Woodwork tools, with shelf for planes	£ 1150.-
800 65 00	Metalwork tools, on back panel and in tool racks	£ 1120.-
800 66 00	Electronics tools	£ 1330.-
800 67 00	Metalwork tools and portable mechanics vices	£ 1490.-
800 70 00	Occasional wood- and metalwork tools	£ 1800.-
800 70 04	Occasional tools for woodwork and 4 shelves	£ 1550.-

Item no.	Tool sets	Price excl. VAT
<p><b>For up to date prices on tool sets please look up our website:</b>  <a href="http://www.lervad.com">www.lervad.com</a>  <b>Alternatively please contact us per mail or telephone.</b></p>		

## Specifications and measurements

Model		780/781	800/801	900/901	920/921
High roller shutter cabinet					
- W/D/H exterior	mm	790 x 400 x 1800	1190 x 400 x 1800	990 x 610 x 1800	1190 x 600 x 1800
- W/D/H interior	mm	748 x 360 x 1400	1148 x 360 x 1400	948 x 570 x 1400	1148 x 560 x 1400
- Weight with 4 shelves	kg	68	88	108	118
Roller Shutter Top Cabinet					
- W/D/H exterior	mm	790 x 400 x 700	1190 x 400 x 700	990 x 610 x 700	1190 x 600 x 700
- W/D/H interior	mm	748 x 360 x 500	1148 x 360 x 500	948 x 570 x 500	1148 x 560 x 500
- Weight with 1 shelf	kg	32	40	49	59

## General sales and delivery terms

These general sales and delivery terms ("Delivery Terms") apply to all deliveries of products and/or services ("Products") from Lervad A/S ("Lervad") to any customer ("Buyer"). Delivery Terms shall be mutually binding on Lervad and Buyer, unless otherwise expressly agreed. Lervad is not bound by the terms set forth by the Buyer, which differs from Delivery Terms, unless such conditions agreed in writing between Lervad and Buyer. Lervad is not bound by the terms set forth by the Buyer, even if Lervad not have objected to such conditions.

### 1. Order Confirmation

Buyers offer to purchase is only accepted when the Buyer has received Lervad's written, including electronically, acceptance of the offer or Lervad within the acceptance period has received written, including electronically, compliant acceptance by Buyer on a sales offer from Lervad.

### 2. Delivery and transfer of risk

The Products are delivered ex works Nørre Aaby, Denmark. In the absence of information from the Buyer on transport, Lervad is entitled to ship Products to Buyer on one of Lervad chosen mode of transport. All resulting costs is to be borne by the Buyer and transport takes place at Buyer's risk. Ex works should be interpreted in accordance with the Incoterms in force at the time of the purchase agreement.

### 3. Delay

If Lervad does not deliver on time, Buyer may in writing demand delivery within a final, reasonable period. Should delivery not take place within this period, the Buyer is entitled to rescind the contract and claim damages for proven direct losses. Buyer cannot hold Lervad accountable for any additional losses as a result of the delay.

### 4. Prices

Prices for Products are exclusive of VAT and/or other charges. Lervad reserves the right to adjust prices for undelivered Products in case of currency fluctuations, price increases from suppliers, material price increases, changes in wages, government intervention or similar conditions.

### 5. Packing

Disposable packaging is included in the prices and will not be refunded if returned. Reusable packaging is not included in the price, but will be credited to Buyer upon immediate, free return in good condition in accordance with Lervad's instructions.

### 6. Payment Terms

Payment must be made within 15 days of the invoice date. Late payments are subject to a penalty interest of 2% per month.

### 7. Product Information

Any product information - whether it comes from Lervad or one of Lervad's business partners - including information on weight, dimensions, capacity or other technical data in the catalog description, prospectus, advertisement, etc., are to be considered as illustrative and is only binding to the extent, Lervad explicitly mention in promotions and/or order confirmation. Specific requirements from Buyer is binding only to the extent that they are confirmed in writing by Lervad.

### 8. Protected and confidential information

Any information that is not publicly available, including drawings and technical documents handed over by Lervad to Buyer ("Confidential Information") shall remain Lervad's property and must be treated as confidential by the Buyer. Confidential Information shall not without Lervad's written consent be copied, reproduced or transferred to third parties or used for purposes other than those intended by the transfer. Confidential Information shall be returned on demand.

### 9. Changes

Lervad reserves the right, without notice to make changes to its products, if this can be done without significantly changing the agreed technical specifications and without substantial modification of the Products form or function.

### 10. Free repair

Lervad undertake at its own discretion to repair or replace Products which after Lervad's examination proves to be defective at the time of delivery due to manufacturing, design or workmanship, provided that Buyer complain within 12 months from the date of delivery. In case of a complaint Buyer sends, subject to prior agreement with Lervad, product to Lervad accompanied by a delivery note specifying the alleged deficiency. Shipping and insurance is paid for by the Buyer. If Lervad's examination shows the product is not defective, the Product is returned to Buyer. Shipping and insurance is paid for by the Buyer. If Lervad identify deficiencies, Lervad sends the repaired Product or a replacement Product to the Buyer and take over the replaced parts or the defective Product. Lervad choose mode of transport and pays for freight and insurance. Buyer shall not be entitled to any additional services or damages from Lervad as a result of defective products.

### 11. Product Liability

Lervad is not responsible for any damage caused by a product on real estate or personal property that occurs while the product is in Buyer's possession.

### 12. Consequential damages/Indirect losses

Lervad is not liable to the Buyer for any consequential or indirect loss arising from or in relation to a contract governed by these Delivery Terms, including, but not limited to, production interruption, loss of profit, loss of goodwill or loss of data.

### 13. Complaints

Claims for defects, delays, product liability or other claims for compensation must be made in writing to Lervad without undue delay.

### 14. Intellectual Rights

Besides the Product itself the Buyer acquires no rights in the form of license, patent, copyright, trademark or other intellectual property right related to the Product.

### 15. Force majeure

Lervad is entitled to cancel the order or suspend delivery of Products, and is also free of responsibility for any missing, incomplete or late delivery, in whole or in part due to circumstances beyond Lervad's reasonable control options, such as riots, civil commotion, war, terrorism, fire, government regulations, strikes, lockouts, slow-down, lack of transportation, shortages, disease or delay in or failure of the supplies from the supplier, accidents in the production or testing, or lack of energy. All Buyer's rights will be suspended or lapse in such cases. Buyer may neither in case of cancellation or delayed delivery seek damages or make any other claims against Lervad.

### 16. Partial Invalidity

If one or more provisions of these Delivery Terms should be revoked, illegal or unenforceable, none of the remaining provisions validity, legality or feasibility will be affected or impaired thereof.

### 17. Disputes

Any disputes between the parties arising out of or related to a purchase agreement, which is regulated by these Delivery Terms shall be governed by Danish law. Any dispute which cannot be solved amicably shall be brought before the court by Lervad's jurisdiction.

-----

**NB! Sales and delivery terms may change over time. Please look up always valid terms on our web site [lervad.com](http://lervad.com).**





---

**BM | lervad**

Lervad (U.K.) Ltd.

823 Salisbury House, 29 Finsbury Circus  
London EC2M 5QQ

Tel: +44 (0)203 808 6965 - [mail@lervad.com](mailto:mail@lervad.com)  
[www.lervad.com](http://www.lervad.com)

Reseller: