


Workshop fixtures: Work places and storage cabinets

for vocational training and creative learning in schools and academies



| | |
|------------------|----|
| Technology bench | 3 |
| Workbench | 8 |
| Jewellers bench | 11 |
| Line bench | 13 |
| Work table | 15 |
| Tool rack | 16 |
| Cabinet XL-21 | 17 |



BM | lervad
2023

When you want it right, you must choose right!

Lervad is synonymous with quality furniture and accessory for the creative and practical teaching of Design & Technology in schools, colleges and other educational institutions.

Our palette of benches and tables includes flexible technology benches, flush top benches, work tables and age-fitted work centres. Our roller shutter cabinets are space saving and are used for general storage or as functionally fitted tool cabinets.

Everything is highest quality and design - functional and visual.

It is our obligation to be at the forefront of the development in demands and wishes among the users. Thus, our catalogue is a static picture of our program of standard solutions only. Please note that our product palette and specifications change over time.

If you do not find what you are looking for when browsing the catalogue, we still like to help you. We also offer solutions to customer specifications. Feel free to contact us for further information.

We trust you will enjoy yourself.

BM | lervad

LERVAD (U.K.) Ltd.

Tel: +44 (0)203 808 6965

mail@lervad.com

www.lervad.com

Who we are!

For more than 100 years Lervad has provided furniture and fixtures to workshops designed for the vocational training.

Today's product program is the result of development over decades. Experiences and ideas from the millions of users over the years have found way into careful adjustments of the various solutions offered. A process of continuous modernizing keeping good practise in focus.

Today Lervad workshop equipment is manufactured by BM Industri A/S, which Lervad forms part of.

Lervad products are manufactured at a modern furniture plant with state of the art machinery and in-house surface treatment. With own assembly facilities BM Industri offers client to source fully assembled ready to use furniture solutions.

BM Industri markets own brands (e.g. Lervad) and works as a renowned partner for other companies in the furniture and building industry.

For more information please look up the respective websites.

www.bmindustri.dk - www.flexpanel.dk - www.lervad.com

Prices and delivery

Prices

All prices are exclusive of VAT.

Delivery is free to all UK mainland addresses for orders with a value above £ 3,000 excl. VAT. For orders with a value below £ 3,000 excl. VAT a handling and delivery charge applies as follows:

| Order value up to | £ 500 | £ 1,000 | £ 2,000 | £3,000 |
|-------------------|-------|---------|---------|--------|
| Charge | £ 90 | £ 140 | £ 250 | £ 300 |

Price validity

Our listed prices are without obligation. For actual valid prices please check our website or call our office.

Time of delivery

The time of delivery will be informed on receipt of order. Normally delivery takes place within 4-5 weeks from receipt of formal order.

Packing

Technology benches, workbenches and work tables are packed disassembled in pallet containers and boxes together with assembly instruction. Cabinets are packed fully assembled.

Pallets are invoiced at cost price.

Delivery

Deliveries are made by trucks with tail lift.

All packing materials are included in the prices, however, assembly and placing in the rooms are not included.

Payment

Terms of payment are net within 15 days from date of invoice subject to credit approval.

Single technology bench



Lervad technology bench is for workshops with the highest functionality in focus. The bench has integrated tool well, woodwork vices and 2 rows for bench dogs.

Single technology bench is available in two different sizes, 80 cm or 132 cm long.

For frequent height adjustment the bench is available with an adjustable frame. And for wheel chair users the bench with an additional tilt functions is ideal.



4-Place technology bench

4-Place technology bench is a compact solution with 4 work places around a square top of 120 x 120 cm. In the centre a common tool well is integrated.

The base may have an integrated cupboard giving extra space for storage.

Or you may choose a height-adjustable version. Alternatively, Lervad 60 mm height converter may be fitted to the frame.



Group technology bench



Group technology bench has all the same features as single technology bench.

Organizing more benches in a group saves space and adds to the versatility of each bench.

Height adjustable benches and benches for special needs may be fully integrated.



Technology bench

Multi-functional workspace



Easy conversion for different tasks

With protective covers and mechanics vices on a vice holders the workshop is ready for metal work.

For ordinary desk work flush tops are applied on to the bench.

When not in use flush tops and protective covers are conveniently accommodated on a purpose designed trolley.

Additional storage

On 4-Place technology bench storage is provided by integrating a shelf to the frame.

And even more storage space by choosing an integrated cupboard. It has two sections with access from opposing sides both equipped with a quality lock.



Ergonomics and flexibility

Correct working position is best achieved when choosing a height adjustable bench.

For special needs students the angle- and height adjustable bench is preferred. Choosing this the student gets same working options as regular students.



Planning with group technology bench

The group technology benches are placed in one or more groups and may include short and long benches as well as a mix of right- and left-handed.

Adjustable benches could be integrated in a group, too.

In single-sided groups the tool well should be fixed to a wall or provided with supporting legs.


Group benches are multifunctional. Designed for woodwork and with accessories for both metal work and flush top work.



Dimensions of typical groups


4 places

L/W: 1500 x 1850




6 places

L/W: 2500 x 1850




8 places

L/W: 3500 x 1850



10 places

L/W: 4500 x 1850



Technology bench

Product program and prices (NB! Illustrations may include accessories)



| Item no. | Single technology bench with open gate frame | | | | Price excl. VAT | |
|-----------|--|--------------|--------|-------|-----------------|-------|
| 609 40 72 | Bench top L=800 mm | right-handed | height | 72 cm | £ | 740.- |
| 609 40 78 | - | - | - | 78 cm | | |
| 609 40 83 | - | - | - | 83 cm | | |
| 609 41 72 | - | left-handed | - | 72 cm | | |
| 609 41 78 | - | - | - | 78 cm | | |
| 609 41 83 | - | - | - | 83 cm | | |
| 610 10 78 | Bench top L=1320 mm | right-handed | - | 72 cm | £ | 930.- |
| 610 10 83 | - | - | - | 83 cm | | |
| 610 11 78 | - | left-handed | - | 72 cm | | |
| 610 11 83 | - | - | - | 83 cm | | |

| Item no. | Single technology bench with height integrated cupboard | | | | Price excl. VAT | |
|-----------|---|--------------|---|-------|-----------------|--------|
| 610 30 78 | Bench top L=1320 mm | right-handed | - | 79 cm | £ | 1240.- |
| 610 30 83 | - | - | - | 83 cm | | |
| 610 31 78 | - | left-handed | - | 79 cm | | |
| 610 31 83 | - | - | - | 83 cm | | |

| Item no. | Single technology bench with height adjustable frame | | | | Price excl. VAT | |
|-----------|--|--------------|--------|------------|-----------------|--------|
| 609 70 68 | Bench top L=800 mm | right-handed | height | 68 - 96 cm | £ | 1840.- |
| 609 71 68 | - | left-handed | - | 68 - 96 cm | | |
| 610 70 68 | Bench top L=1320 mm | right-handed | - | 68 - 96 cm | £ | 1950.- |
| 610 71 68 | - | left-handed | - | 68 - 96 cm | | |

| Item no. | Single technology bench with angle and height adjustable frame | | | | Price excl. VAT | |
|-----------|--|--------------|--------|-------------|-----------------|--------|
| 610 80 70 | Bench top L=1320 mm | right-handed | height | 70 - 100 cm | £ | 2650.- |
| 610 81 70 | - | left-handed | - | 70 - 100 cm | | |

| Item no. | Single technology bench accessories | | | | Price excl. VAT | |
|------------|--|--------------|--|--|-----------------|-------|
| 652 51 01 | Holder for hammer and try square incl. screws for mounting | | | | £ | 20.- |
| 652 51 02 | Clamping sublayer unit incl. screws for mounting | | | | £ | 20.- |
| 105 00 500 | Portable Mechanics Vice, Record, 75 mm jaw width | | | | £ | 130.- |
| 640 02 00 | Holder for Portable Mechanics Vice | | | | £ | 75.- |
| 660 20 00 | Protective cover for model 609, | right-handed | | | £ | 90.- |
| 660 20 01 | - | left-handed | | | | |
| 660 21 00 | Protective cover for model 610, | right-handed | | | £ | 110.- |
| 660 21 01 | - | left-handed | | | | |



| Item no. | 4-place technology bench with open gate frame | | | | Price excl. VAT | |
|-----------|---|--------------|--------|-------|-----------------|--------|
| 632 50 76 | Bench top 1200 x 1200 mm | right-handed | height | 76 cm | £ | 1710.- |
| 632 50 79 | - | - | - | 79 cm | | |
| 632 50 83 | - | - | - | 83 cm | | |
| 632 51 76 | - | left-handed | - | 76 cm | | |
| 632 51 79 | - | - | - | 79 cm | | |
| 632 51 83 | - | - | - | 83 cm | | |

| Item no. | 4-place technology bench with integrated cupboard | | | | Price excl. VAT | |
|-----------|---|--------------|--------|-------|-----------------|--------|
| 632 30 76 | Bench top 1200 x 1200 mm | right-handed | height | 76 cm | £ | 2180.- |
| 632 30 79 | - | - | - | 79 cm | | |
| 632 30 83 | - | - | - | 83 cm | | |
| 632 31 76 | - | left-handed | - | 76 cm | | |
| 632 31 79 | - | - | - | 79 cm | | |
| 632 31 83 | - | - | - | 83 cm | | |

| Item no. | 4-place technology bench with height adjustable frame | | | | Price excl. VAT | |
|-----------|---|--------------|--------|------------|-----------------|--------|
| 632 70 71 | Bench top 1200 x 1200 mm | right-handed | height | 68 - 96 cm | £ | 2890.- |
| 632 71 71 | - | left-handed | - | 68 - 96 cm | | |

Technology bench

Product program and prices (continued)

| Item no. | 4-place technology bench accessories | | | Price excl. VAT | |
|------------|---------------------------------------|------------------------|--|-----------------|-------|
| 646 00 00 | Height Converter | factory mounted | | £ | 120.- |
| 643 00 00 | Jockey-wheels | factory mounted | | £ | 75.- |
| 647 00 40 | Shelf | | | £ | 75.- |
| 640 07 00 | Rails for accomodating tool racks | factory mounted | | £ | 100.- |
| 626 32 00 | Flip tool well | | | £ | 120.- |
| 654 14 00 | Flush Top 1400 x 700 mm | NB! 2 pcs. per bench | | £ | 170.- |
| 659 14 00 | Trolley for up to 12 Flush Tops | | | £ | 750.- |
| 946 14 00 | Wall storage for up to 12 Flush Top | | | £ | 600.- |
| 105 00 500 | Mechanics Vice | Record 75 mm jaw width | | £ | 130.- |
| 640 01 00 | Holder for Mechanics Vice | | | £ | 75.- |
| 660 32 26 | Protective Cover | NB! 4 pcs. per bench | | £ | 80.- |
| 661 02 00 | Wall fixture for 16 Protective Covers | | | £ | 100.- |



| Item no. | Group technology bench with open gate frame | | | | Price excl. VAT | |
|-----------|---|--------------|--------|-------|-----------------|-------|
| 620 40 72 | Bench top L=800 mm | right-handed | height | 72 cm | £ | 640.- |
| 620 40 78 | - | - | - | 78 cm | | |
| 620 40 83 | - | - | - | 83 cm | | |
| 620 41 72 | - | left-handed | - | 72 cm | | |
| 620 41 78 | - | - | - | 78 cm | | |
| 620 41 83 | - | - | - | 83 cm | | |
| 621 40 72 | Bench top L=1320 mm | right-handed | - | 72 cm | £ | 690.- |
| 621 40 78 | - | - | - | 78 cm | | |
| 621 40 83 | - | - | - | 83 cm | | |
| 621 41 65 | - | left-handed | - | 65 cm | | |
| 621 41 78 | - | - | - | 78 cm | | |
| 621 41 83 | - | - | - | 83 cm | | |

| Item no. | Group technology bench with height adjustable frame | | | | Price excl. VAT | |
|-----------|---|--------------|--------|------------|-----------------|--------|
| 620 70 68 | Bench top L=800 mm | right-handed | height | 68 - 96 cm | £ | 1760.- |
| 620 71 68 | - | left-handed | - | 68 - 96 cm | | |
| 621 70 68 | Bench top L=1320 mm | right-handed | - | 68 - 96 cm | £ | 1890.- |
| 621 71 68 | - | left-handed | - | 68 - 96 cm | | |

| Item no. | Group technology bench with angle and height adjustable frame | | | | Price excl. VAT | |
|-----------|---|--------------|--------|-------------|-----------------|--------|
| 621 80 70 | Bench top L=1320 mm | right-handed | height | 70 - 100 cm | £ | 2590.- |
| 621 81 70 | - | left-handed | - | 70 - 100 cm | | |

| Item no. | Group technology bench accessories | | | Price excl. VAT | |
|------------|--|-----------------|--|-----------------|-------|
| 626 10 00 | Assembly tool well | 1000 mm | | £ | 200.- |
| 626 15 00 | - | 1500 mm | | £ | 250.- |
| 626 00 72 | Supporting leg for tool well | height 72 cm | | £ | 75.- |
| 626 00 78 | - | height 78 cm | | | |
| 626 00 83 | - | height 83 cm | | | |
| 652 51 01 | Holder for hammer and try square incl. screws for mounting | | | £ | 20.- |
| 652 51 02 | Clamping sublayer unit incl. screws for mounting | | | £ | 20.- |
| 654 15 00 | Flush Top 1500 x 880 mm | | | £ | 210.- |
| 659 15 00 | Trolley for 12 Flush Tops | | | £ | 750.- |
| 946 15 00 | Wall storage for 12 Flush Tops | | | £ | 600.- |
| 105 00 500 | Mechanics Vice, Record | 75 mm jaw width | | £ | 130.- |
| 640 02 00 | Holder for Mechanics Vice | | | £ | 75.- |
| 660 20 00 | Protective Cover for model 620 | right-handed | | £ | 90.- |
| 660 20 01 | - | left-handed | | | |
| 660 21 00 | Protective Cover for model 621 | right-handed | | £ | 110.- |
| 660 21 01 | - | left-handed | | | |

Technology bench

Specifications and measurements

| Model | | 609 | 610 | 620 | 621 | 632 |
|-------------------------------------|----|-----------------|------------------|-----------------|------------------|-----------------|
| L/W - Top (tool well at the end) | mm | 980 x 650 (270) | 1500 x 695 (270) | | | |
| L/W - Top (tool well at the side) | mm | | 1320 x 695 (270) | | | |
| L/W - Top | | | | 800 x 515 (270) | 1320 x 515 (270) | 1200 x 1200 |
| With open gate frame | | | | | | |
| - height | cm | 72, 78, 83 | 78, 83 | 72, 78, 83 | 72, 78, 83 | 76, 79, 83 |
| - weight | kg | 25 | 37 | 25 | 37 | 70 |
| With integrated cupboard | | | | | | |
| - W/H/D cupboard | mm | | 1100 x 540 x 250 | | | 680 x 600 x 770 |
| - height | cm | | 78, 83 | | | 76, 79, 83 |
| - weight | kg | | 54 | | | 78 |
| With height adjustable frame | | | | | | |
| - height | cm | 68 - 96 | 68 - 96 | 68 - 96 | 68 - 96 | 68 - 96 |
| - weight | kg | 36 | 48 | 36 | 48 | 82 |
| With angle, height adjustable frame | | | | | | |
| - height | cm | | 70 - 100 | | 70 - 100 | |
| - weight | kg | | 48 | | 48 | |


Square flush top workbench



Lervad flush top workbench has a 40 mm solid beech top. The bench, with 2 or 4 places, is designed for multiple tasks with easy change from one operation to another.

Square flush top workbench has 4 working places around a 120 x 120 cm plain top or top with flip tool well.


The bench is available with open frame of solid beech, with shelf, integrated cupboard or height adjustable frame.



Rectangular flush top workbench

The **rectangular workbench** has 2 or 4 working places around a 810 mm wide top. There is a choice between 3 different lengths 120, 150 and 180 cm.

The bench is available with open frame of solid beech, with shelf, integrated cupboard or height adjustable frame.



Functional options

Flexibility

Most benches are used as multi-function workbenches and Lervad's range of accessories shows its worth as portable or fixed features.


The woodwork vice has wooden jaws and for metalwork there is a choice between a small portable 75 mm mech. vice and a large fixed 100 mm mech. vice.

Ergonomics

Flush top workbench is available with a height adjustable frame for free setting of the working height.

As alternative Lervad height converter fitted to the open gate frame may adjust the height by 60 mm.

For easy moving you may choose to mount Jockey-wheels at the one end gate.



Flush top workbench

Product program and prices (NB! Illustrations may include accessories)



| Item no. | Flush top 1200 x 1200 mm with open gate frame | | | Price excl. VAT | |
|-----------|---|--------|-------|-----------------|-------|
| 634 50 79 | Flush solid beech | height | 79 cm | £ | 670.- |
| 634 50 83 | - | - | 83 cm | | |
| 634 52 79 | Solid beech w/ flip tool well | - | 79 cm | £ | 750.- |
| 634 52 83 | - | - | 83 cm | | |

| Item no. | Flush top 1200 x 1200 mm with integrated cupboard | | | Price excl. VAT | |
|-----------|---|--------|-------|-----------------|--------|
| 634 30 79 | Flush solid beech | height | 79 cm | £ | 1140.- |
| 634 30 83 | - | - | 83 cm | | |
| 634 32 79 | Solid beech w/ flip tool well | - | 79 cm | £ | 1220.- |
| 634 32 83 | - | - | 83 cm | | |

| Item no. | Flush top 1200 x 1200 mm with height adjustable frame | | | Price excl. VAT | |
|-----------|---|--------|----------|-----------------|--------|
| 634 70 67 | Flush solid beech | height | 64-92 cm | £ | 1850.- |
| 634 72 67 | Solid beech w/ flip tool well | - | 64-92 cm | £ | 1930.- |

| Item no. | Flush top 1200 x 750 mm with open gate frame | | | Price excl. VAT | |
|-----------|--|--------|-------|-----------------|-------|
| 636 10 79 | Flush solid beech | height | 79 cm | £ | 560.- |
| 636 10 83 | - | - | 83 cm | | |

| Item no. | Flush top 1200 x 810 mm with integrated cupboard | | | Price excl. VAT | |
|-----------|--|--------|-------|-----------------|-------|
| 636 30 79 | Flush solid beech | height | 79 cm | £ | 950.- |
| 636 30 83 | - | - | 83 cm | | |

| Item no. | Flush top 1200 x 810 mm with height adjustable frame | | | Price excl. VAT | |
|-----------|--|--------|----------|-----------------|--------|
| 636 70 67 | Flush solid beech | height | 64-92 cm | £ | 1640.- |

| Item no. | Flush top 1500 x 810 mm with open gate frame | | | Price excl. VAT | |
|-----------|--|--------|-------|-----------------|-------|
| 637 15 79 | Flush solid beech | height | 79 cm | £ | 630.- |
| 637 15 83 | - | - | 83 cm | | |

| Item no. | Flush top 1500 x 810 mm with integrated cupboard | | | Price excl. VAT | |
|-----------|--|--------|-------|-----------------|--------|
| 637 35 79 | Flush solid beech | height | 79 cm | £ | 1020.- |
| 637 35 83 | - | - | 83 cm | | |

| Item no. | Flush top 1500 x 810 mm with height adjustable frame | | | Price excl. VAT | |
|-----------|--|--------|----------|-----------------|--------|
| 637 75 67 | Flush solid beech | height | 64-92 cm | £ | 1710.- |

| Item no. | Flush top 1500 x 810 mm with open gate frame | | | Price excl. VAT | |
|-----------|--|--------|-------|-----------------|-------|
| 638 10 79 | Flush solid beech | height | 79 cm | £ | 690.- |
| 638 10 83 | - | - | 83 cm | | |

| Item no. | Flush top 1500 x 810 mm with integrated cupboard | | | Price excl. VAT | |
|-----------|--|--------|-------|-----------------|--------|
| 638 30 79 | Flush solid beech | height | 79 cm | £ | 1140.- |
| 638 30 83 | - | - | 83 cm | | |

| Item no. | Flush top 1500 x 810 mm with height adjustable frame | | | Price excl. VAT | |
|-----------|--|--------|----------|-----------------|--------|
| 638 70 67 | Flush solid beech | height | 64-92 cm | £ | 1760.- |

| Item no. | Flush top 1800 x 900 mm with open gate frame | | | Price excl. VAT | |
|-----------|--|--------|-------|-----------------|-------|
| 639 15 79 | Flush solid beech | height | 79 cm | £ | 760.- |
| 639 15 83 | - | - | 83 cm | | |

| Item no. | Flush top 1800 x 900 mm with integrated cupboard | | | Price excl. VAT | |
|-----------|--|--------|-------|-----------------|--------|
| 639 35 79 | Flush solid beech | height | 79 cm | £ | 1210.- |
| 639 35 83 | - | - | 83 cm | | |

| Item no. | Flush top 1800 x 900 mm with height adjustable frame | | | Price excl. VAT | |
|-----------|--|--------|----------|-----------------|--------|
| 639 75 67 | Flush solid beech | height | 64-92 cm | £ | 1830.- |

Flush top workbench

Product program and prices (NB! Illustrations may include accessories)

| Item no. | Flush top accessories | Price excl. VAT |
|------------|-----------------------|---|
| 646 00 00 | Height converter | £ 120.- |
| 643 00 00 | Jockey-wheels | £ 75.- |
| 640 07 00 | Rails for tool racks | for model 634 £ 100.- |
| 647 00 40 | Shelf | for model 634 £ 75.- |
| 647 00 13 | - | for model 636 and 637 £ 110.- |
| 647 00 16 | - | for model 638 and 639 £ 120.- |
| 640 06 50 | Woodcraft vice | Record V175, incl. fitting with wooden jaws £ 140.- |
| 105 00 600 | Mechanics vice | Record 100 mm jaw width £ 130.- |
| 105 00 500 | - | Record 75 mm jaw width £ 130.- |
| 640 03 00 | Holder for mech. vice | Record 75 mm jaw width £ 110.- |
| 677 12 00 | Protective steel rail | 1200 mm, for model 634 & 636 £ 50.- |
| 677 15 00 | - | 1500 mm, for model 637 & 638 £ 65.- |
| 677 18 00 | - | 1800 mm, for model 639 £ 80.- |

Specifications and measurements

| Model | | 634 | 636 | 637 | 638 | 639 |
|------------------------------|----|-------------|--------------|--------------|--------------|--------------|
| Bench top L/W | mm | 1200 x 1200 | 1200 x 810 | 1500 x 810 | 1500 x 810 | 1800 x 810 |
| With open gate frame | | | | | | |
| - height | cm | 79, 83 | 79, 83 | 79, 83 | 79, 83 | 79, 83 |
| - weight | kg | 55 | 46 | 54 | 54 | 62 |
| With integrated cupboard | | | | | | |
| - W/H/D | mm | 680/600/770 | 1100/540/600 | 1100/540/600 | 1390/540/600 | 1390/540/600 |
| - height | cm | 79, 83 | 79, 83 | 79, 83 | 79, 83 | 79, 83 |
| - weight | kg | 68 | 60 | 68 | 73 | 81 |
| With height adjustable frame | | | | | | |
| - height | cm | 64 - 92 | 64 - 92 | 64 - 92 | 64 - 92 | 64 - 92 |
| - weight | kg | 73 | 60 | 68 | 68 | 76 |

Jewellers line bench



Jewellers line bench is modular and comes with 1 or 2 working places. Jewellers bench has a 30 mm worktop of solid beech. The circular profile at the front edge gives the user a perfect working position. At the centre of the profile an anvil and a grinding support are inserted as ideal working tools.

Jewellers line bench may be ordered bespoke with as many working places in line as you wish.



4 place jewellers bench

Lervad 4 place jewellers bench is square 120x120 cm with a working place at each side. The circular profile at the front edge gives the user a perfect working position.

The bench has a base frame of beech with plenty of leg room or a height adjustable steel frame.



Take care of the valuables

To minimise loss of valuables your work place may be equipped with a canvas lap skin. The skin catches excess material and protects your clothing at the same time.

The skin - formed like an open bag - has metal eyes fixed to hooks underneath the top and a line for your waist.

Jewellers bench

Product program and prices (NB! Illustrations may include accessories)



| Item no. | Jewellers line bench D=600 mm | | | Price excl. VAT |
|-----------|---|--------|-------|-----------------|
| 693 10 79 | Jewellers bench 850 x 600 mm, 1 working place | height | 79 cm | £ 610.- |
| 693 10 83 | - | - | 83 cm | |
| 694 10 79 | Jewellers bench 1650 x 600 mm, 2 working places | - | 79 cm | £ 1000.- |
| 694 10 83 | - | - | 83 cm | |

| Item no. | Jewellers line bench D=600 mm | | | Price excl. VAT |
|-----------|---|--------|-------|-----------------|
| 695 10 79 | Jewellers bench 850 x 750 mm, 1 working place | height | 79 cm | £ 640.- |
| 695 10 83 | - | - | 83 cm | |
| 696 10 79 | Jewellers bench 1650 x 750 mm, 2 working places | - | 79 cm | £ 1060.- |
| 696 10 83 | - | - | 83 cm | |

| Item no. | Jewellers square bench | | | Price excl. VAT |
|-----------|--|-------------------|------------|-----------------|
| 698 10 79 | Jewellers bench 1200 x 1200 mm, 4 working places | height | 79 cm | £ 1710.- |
| 698 10 83 | - | - | 83 cm | |
| 698 70 67 | - | Height adjustable | 63 - 91 cm | £ 2890.- |

| Item no. | Jewellers bench accessories | | Price excl. VAT |
|------------|---|--|-----------------|
| 066 90 00 | Grinding support | | £ 60.- |
| 000 80 97 | Anvil | | £ 90.- |
| 102 00 000 | Jewellers lap skin (canvas) incl. hooks for hanging | | £ 180.- |

Specifications and measurements

| Model | | 693 | 694 | 695 | 696 | 698 |
|------------------------------|----|-----------|------------|-----------|------------|-------------|
| Bench top L/W | mm | 850 x 600 | 1650 x 600 | 850 x 750 | 1650 x 750 | 1200 x 1200 |
| With open gate frame | | | | | | |
| - height | cm | 79, 83 | 79, 83 | 79, 83 | 79, 83 | 79, 83 |
| - weight | kg | 24 | 42 | 27 | 48 | 55 |
| With height adjustable frame | | | | | | |
| - height | cm | | | | | 63 - 91 |
| - weight | kg | | | | | 73 |



Lervad Line bench meets the demand for benching along walls or in free standing groups neck to neck. The bench has a 30 mm thick bench top of solid beech.

Line bench comes in a short and a long version and is made for accommodating light machinery.

On castors the small bench is ideal as movable workbench.



Product program and prices (NB! Illustrations may include accessories)



| Item no. | Line bench with open gate frame | Price excl. VAT |
|-----------|-------------------------------------|-----------------|
| 673 10 79 | Bench top 850 x 600 mm height 79 cm | £ 500.- |
| 673 10 83 | - - 83 cm | |
| 674 10 79 | Bench top 1650 x 600 mm - 79 cm | £ 750.- |
| 674 10 83 | - - 83 cm | |

| Item no. | Line bench with integrated cupboard | Price excl. VAT |
|-----------|-------------------------------------|-----------------|
| 673 30 79 | Bench top 850 x 600 mm height 79 cm | £ 850.- |
| 673 30 83 | - - 83 cm | |
| 674 30 79 | Bench top 1650 x 600 mm - 79 cm | £ 1450.- |
| 674 30 83 | - - 83 cm | |

| Item no. | Line bench with open gate frame | Price excl. VAT |
|-----------|-------------------------------------|-----------------|
| 675 10 79 | Bench top 850 x 750 mm height 79 cm | £ 550.- |
| 675 10 83 | - - 83 cm | |
| 676 10 79 | Bench top 1650 x 750 mm - 79 cm | £ 850.- |
| 676 10 83 | - - 83 cm | |

| Item no. | Line bench with integrated cupboard | Price excl. VAT |
|-----------|-------------------------------------|-----------------|
| 675 30 79 | Bench top 850 x 750 mm height 79 cm | £ --900.- |
| 675 30 83 | - - 83 cm | |
| 676 30 79 | Bench top 1650 x 750 mm - 79 cm | £ 1550.- |
| 676 30 83 | - - 83 cm | |

| Item no. | Line bench accessories | Price excl. VAT |
|-----------|---|-----------------|
| 643 10 00 | Set of castors, 2 with and 2 without brake for model 673 & 675 | £ 100.- |
| 640 06 55 | Woodcraft vice 220 mm Record V175, incl. fitting with wooden jaws | £ 140.- |
| 647 00 30 | Shelf for model 673 & 674 | £ 90.- |
| 647 00 33 | Shelf for model 675 & 676 | £ 100.- |

Specifications and measurements


| Model | | 673 | 674 | 675 | 676 |
|--------------------------|-----|-------------|------------|-----------|-------------|
| Bench top L/W | mm | 850 x 600 | 1650 x 600 | 850 x 750 | 1650 x 750 |
| With open gate frame | | | | | |
| - height | cm | 79, 83 | 79, 83 | 79, 83 | 79, 83 |
| - weight | kg | 24 | 42 | 27 | 48 |
| With integrated cupboard | | | | | |
| - cupboards | no. | 1 | 2 | 1 | 2 |
| - cupboard W/H/D | mm | 810/540/450 | | | 810/540/450 |
| - height | cm | 79, 83 | 79, 83 | 79, 83 | 79, 83 |
| - weight | kg | 40 | 74 | 50 | 94 |



Lervad craft table is a durable table for work with practically all types of materials. It has a top of 30 mm solid beech with a very solid base frame.

If you value good ergonomics, you should choose the height adjustable version. Alternatively using Lervad's 60 mm height converter you may choose between two working heights.

A set of Jockey-wheels on one end gate assures easy moving.



Product program and prices (NB! Illustrations may include accessories)

| | Item no. | Craft table 1500 x 1000 mm | | | | Price excl. VAT | |
|--|-----------|----------------------------|-------------------------|---|------------|-----------------|--------|
| | 686 10 73 | 30 mm solid beech | solid beech frame | - | 73 cm | £ | 690.- |
| | 686 10 79 | - | - | - | 79 cm | | |
| | 686 10 83 | - | - | - | 83 cm | | |
| | 686 70 63 | 30 mm solid beech | height adjustable frame | - | 63 - 91 cm | £ | 1830.- |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | Item no. | Craft table 1800 x 1000 mm | | | | Price excl. VAT | |
| | 687 10 73 | 30 mm solid beech | solid beech frame | - | 73 cm | £ | 750.- |
| | 687 10 79 | - | - | - | 79 cm | | |
| | 687 10 83 | - | - | - | 83 cm | | |
| | 687 70 63 | 30 mm solid beech | height adjustable frame | - | 63 - 91 cm | £ | 1890.- |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | Item no. | Craft table accessories | | | | Price excl. VAT | |
| | 646 00 00 | Height Converter | | | | £ | 120.- |
| | 643 00 00 | Jockey-wheels | | | | £ | 75.- |
| | 647 00 13 | Shelf | for model 684 | | | £ | 110.- |
| | 647 00 16 | - | for model 686 and 687 | | | £ | 120.- |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Specifications and measurements

| Model | | 686 | 687 |
|-------------------------|----|-------------|-------------|
| Table top L/W | mm | 1500 x 1000 | 1800 x 1000 |
| Open gate frame | | | |
| - height | cm | 73, 79, 83 | 73, 79, 83 |
| - weight | kg | 56 | 62 |
| Height adjustable frame | | | |
| - height | cm | 63 - 91 | 63 - 91 |
| - weight | kg | 62 | 68 |



Safety and responsibility are key words when dealing with tools. When using Lervad portable tool rack all frequently used tools are directly accessible for each student. At the same time traffic in the workshop is reduced.

In combination with Lervad roller shutter cabinet the portable tool rack system makes surveillance and control a simple task.



Built to specifications

Lervad portable tool rack has a finished interior prepared for standard tool set.

For customers with own tool set the racks may be built to user specifications.

Alternatively plain racks for own finishing are available.



Product program and prices (NB! Illustrations may include accessories)



| Item no. | Tool rack, for own finishing | | | | Pris excl. moms | |
|-----------|------------------------------|----------|---------------|--|-----------------|-------|
| 652 01 51 | Tool Rack | 3 layers | with hooks | | £ | 160.- |
| 652 01 55 | - | - | without hooks | | £ | 150.- |
| 652 97 01 | - | 2 layers | with hooks | | £ | 120.- |
| 652 97 05 | - | - | without hooks | | £ | 110.- |



| Item no. | Tool rack, finished interior | | | | Pris excl. moms | |
|-----------|------------------------------|----------|--|--|-----------------|-------|
| 652 52 00 | Tool Rack | 2 layers | for Tool set "15 x tools for wood" | | £ | 130.- |
| 652 94 00 | - | - | for Tool set "15 x tools for metal" | | £ | 130.- |
| 652 97 00 | - | - | for Tool set "15 x tools for wood/metal" | | £ | 130.- |

| Item no. | Tool sets | | | | Pris excl. moms | |
|------------|-----------|-----------------------------|--|--|-----------------|-------|
| 652 52 101 | Tool set | "15 x tools for wood" | | | £ | 320.- |
| 652 94 101 | - | "15 x tools for metal" | | | £ | 240.- |
| 652 97 101 | - | "15 x tools for wood/metal" | | | £ | 240.- |

Specifications and measurements

| Model | | 652 01 51 | | 652 97 01 | |
|---------------------|-----|-----------|--|-----------|--|
| Width / height | mm | 340 x 400 | | 340 x 400 | |
| Layers | no. | 3 | | 2 | |
| Depth of tool block | mm | 132 | | 92 | |
| Weight | kg | 3,5 | | 2,2 | |



Functional cabinet siding

The sidings have three lines of holes used for building flexible interiors.

The holes are used for fixing shelves and in tool cupboards for the fixing of racks and back panels for the accommodation of tools.



Lervad roller shutter cabinet is the answer to the constantly demanding requirement for storage. Roller Shutters require less space and make the interior easy accessible.

For safety reason the roller shutter opens downwards. When turning the key the shutter coils up in the base self-braking bringing it to a gentle halt.



Maximize your storage space

Top cabinets may be added to standard high cabinets building a complete cabinet wall.

The position of the top cabinet is secured by guiding dowels between the top and bottom cabinets.

Quality for active use

Roller shutter cabinet LX-21 is designed for use in stressful environments.

The cabinet is made from beech plywood. The sidings, top and bottom are 21 mm. Shelves are 18 mm. As back you find an 8 mm beech- melamine plate. Assembled in robust design it is the assurance for yearlong use in workshops and other tough environments.

Individual fitting

When used as tool cupboards the cabinet is provided with fitting precisely adapted to the set of tools to be accommodated, either that being one of Lervads standard tool sets or a user defined set of tools.

All cabinets have a high quality barrel-lock.



Cabinet LX-21

Roller shutter cabinet with shelves

Flexibility in use

Cabinet LX-21 is a robust and perfect solution for general storage with the number of shelves your like, straight or sloped.

All shelves are moveable, of course.



Model 780

W/D/H: 790 x 400 x 1800 mm



Model 800

W/D/H: 1190 x 400 x 1800 mm



Model 900

W/D/H: 990 x 600 x 1800 mm



Model 920

W/D/H: 1190 x 600 x 1800 mm

Product program and prices (NB! Illustrations may include accessories)



| Item no. | Cabinet with shelves W/D/H: 790 x 400 x 1800 mm | | Price excl. VAT | |
|-----------|---|-------------------|-----------------|--------|
| 780 03 00 | Cabinet with | 3 shelves | £ | 1010.- |
| 780 03 50 | - | 3 sloping shelves | £ | 1040.- |
| 780 04 00 | - | 4 shelves | £ | 1070.- |
| 780 04 50 | - | 4 sloping shelves | £ | 1110.- |



| Item no. | Cabinet with shelves W/D/H: 1190 x 400 x 1800 mm | | Price excl. VAT | |
|-----------|--|-------------------|-----------------|--------|
| 800 03 00 | Cabinet with | 3 shelves | £ | 1170.- |
| 800 03 50 | - | 3 sloping shelves | £ | 1200.- |
| 800 04 00 | - | 4 shelves | £ | 1240.- |
| 800 04 50 | - | 4 sloping shelves | £ | 1280.- |



| Item no. | Cabinet with shelves W/D/H: 990 x 600 x 1800 mm | | Price excl. VAT | |
|-----------|---|-------------------|-----------------|--------|
| 900 03 00 | Cabinet with | 3 shelves | £ | 1320.- |
| 900 03 50 | - | 3 sloping shelves | £ | 1350.- |
| 900 04 00 | - | 4 shelves | £ | 1400.- |
| 900 04 50 | - | 4 sloping shelves | £ | 1440.- |



| Item no. | Cabinet with shelves W/D/H: 1190 x 600 x 1800 mm | | Price excl. VAT | |
|-----------|--|-------------------|-----------------|--------|
| 920 03 00 | Cabinet with | 3 shelves | £ | 1480.- |
| 920 03 50 | - | 3 sloping shelves | £ | 1510.- |
| 920 04 00 | - | 4 shelves | £ | 1570.- |
| 920 04 50 | - | 4 sloping shelves | £ | 1610.- |



| Item no. | Top cabinet with 1 shelf | | Price excl. VAT | |
|-----------|--------------------------|---------------------|-----------------|-------|
| 781 01 00 | Cabinet W/D/H: | 790 x 400 x 700 mm | £ | 550.- |
| 801 01 00 | - | 1190 x 400 x 700 mm | £ | 600.- |
| 901 01 00 | - | 990 x 600 x 700 mm | £ | 650.- |
| 921 01 00 | - | 1190 x 600 x 700 mm | £ | 700.- |

Cabinet LX-21

Roller shutter cabinet with functional interior

Safety and efficiency

Lervad's functional fitted cabinets are designed with the user's safety and ideal tool control in mind.

Each tool has a unique place. Sharp edges are placed protected preventing accidents and users getting hurt.

Define your solution

- An all finished solution with standard tool set.
- A standard interior for your own finishing.
- A carcass complemented by exactly those interior components you prefer.



Model 780 55 00

W/D/H: 790 x 400 x 1800 mm



Model 800 53 00

W/D/H: 1190 x 400 x 1800 mm



Model 780 62 00 - virgin

W/D/H: 790 x 400 x 1800 mm



Model 800 76 04 - virgin

W/D/H: 1190 x 400 x 1800 mm

Product program and prices (NB! Illustrations may include accessories)



| Item no. | Cabinet carcass | Price excl. VAT |
|-----------|---------------------------|-------------------------------|
| 780 00 00 | Cabinet W/D/H: | 790 x 400 x 1800 mm £ 830.- |
| 780 00 90 | Shelf | 18 x 748 x 345 mm £ 60.- |
| 780 00 92 | Sloping shelf w/ end stop | 18 x 748 x 380 mm £ 70.- |
| 800 00 00 | Cabinet W/D/H: | 1190 x 400 x 1800 mm £ 960.- |
| 800 00 90 | Shelf | 18 x 1148 x 345 mm £ 70.- |
| 800 00 92 | Sloping shelf w/ end stop | 18 x 1148 x 380 mm £ 80.- |
| 900 00 00 | Cabinet W/D/H: | 990 x 600 x 1800 mm £ 1080.- |
| 900 00 90 | Shelf | 18 x 1148 x 545 mm £ 80.- |
| 800 00 92 | Sloping shelf w/ end stop | 18 x 1148 x 580 mm £ 90.- |
| 920 00 00 | Cabinet W/D/H: | 1190 x 600 x 1800 mm £ 1210.- |
| 920 00 90 | Shelf | 18 x 1148 x 545 mm £ 90.- |
| 920 00 92 | Sloping shelf w/ end stop | 18 x 1148 x 580 mm £ 100.- |



| Item no. | Tool cabinet components | Price excl. VAT |
|-----------|--------------------------------|--|
| 800 00 50 | Carcass divider | 21 x 345 x 1397 mm £ 120.- |
| 800 00 91 | Shelf | 18 x 379 x 345 mm £ 50.- |
| 800 00 94 | Sloping shelf w/ end stop | 18 x 379 x 380 mm £ 60.- |
| 780 00 80 | Perforated backplate | 15 x 748 x 368 mm £ 60.- |
| 800 00 80 | Perforated backplate | 15 x 1148 x 368 mm £ 85.- |
| 800 00 81 | Perforated backplate | 15 x 379 x 368 mm £ 50.- |
| 930 00 10 | Tool hooks - set of 10 pcs. | 4x 150 mm, 4x 200 mm, 2x 250 mm £ 60.- |
| 780 00 82 | Tool rack "virgin" | 42 x 130 x 748 mm £ 50.- |
| 800 00 82 | Tool rack "virgin" | 42 x 130 x 1148 mm £ 70.- |
| 800 00 83 | Tool rack "virgin" | 42 x 130 x 379 mm £ 40.- |
| 780 00 93 | Rubber layer for sloping shelf | 3 x 748 x 362 mm £ 30.- |
| 800 00 93 | Rubber layer for sloping shelf | 3 x 1148 x 362 mm £ 35.- |
| 800 00 95 | Rubber layer for sloping shelf | 3 x 379 x 362 mm £ 25.- |
| 780 00 96 | Sloping shelf for planes | 18 x 748 x 380 mm £ 90.- |
| 800 00 96 | Sloping shelf for planes | 18 x 1148 x 380 mm £ 115.- |
| 800 00 97 | Sloping shelf for planes | 18 x 379 x 380 mm £ 65.- |



Cabinet LX-21

Model 780 - Roller shutter cabinet with functional interior (NB! The interior desing may have changed)



Model 780 54 00

With one moveable and two fixed shelves.
Two units with 24 drawers each.




Model 780 55 00

For occasional tools for a small workshop.
(re. tool schedule).



Model 780 56 00

For paperwork tools
(re. tool schedule).



Model 780 57 00

For pottery tools
(re. tool schedule).



Model 780 60 00

For leather tools
(re. tool schedule).



Model 780 61 00

For textiles tools
(re. tool schedule).



Model 780 63 00

With 4 shelves fitted for
12 portable mechanics vices.



Model 780 64 50

For 16 sets of student's woodwork tools
(re. tool schedule)




Model 780 68 00

For clamps and sanding paper. 2 beech shelves
with pins, 3 boxes and 2 shelves



Model 780 69 00

For clamps. 2 beech shelves with pins.



Model 780 70 00

For occasional woodwork tools
(re. tool schedule).



Model 780 71 00

For occasional metalwork tools
(re. tool schedule).

Cabinet LX-21

Model 800 - Roller shutter cabinet with functional interior (NB! The interior desing may have changed)



Model 800 20 00

For occasional woodwork tools, 16 students (re. tool schedule).



Model 800 30 00

For occasional metalwork tools, 8 students (re. tool schedule).



Model 800 53 00

For student's and occasional woodwork tools (re. tool schedule).



Model 800 62 00

For student's and occasional metalwork tools (re. tool schedule).



Model 800 58 00

With 12 portable drying grates.



Model 800 59 50

With 6 portable drying grates, 5 shelves and 2x 6 plastic containers.



Model 800 63 00

With 4 shelves fitted for 20 portable mechanics vices.



Model 800 64 50

For 24 sets of student's woodwork tools (re. tool schedule).



Model 800 65 00

For 20 hacksaw frames and 20 tool racks. (re. tool schedule).



Model 800 66 00

For electronics tools (re. tool schedule).



Model 800 67 00

For metalwork tools and portable mech. vices. (re. tool schedule).




Model 800 70 00

For occasional wood- and metalwork tools (re. tool schedule).


Cabinet LX-21

Product program and prices (NB! Illustrations may include accessories)



For images of cabinets with tools see page 26.

Please note, that interior designs may have changed.



For images of cabinets with tools see page 27.

Please note, that interior designs may have changed.

| Item no. | "Virgin" tool cabinet | Price excl. VAT |
|-----------|---|-----------------|
| 780 62 00 | "Virgin" model for cabinet 780 55 00 790 x 400 x 1800 mm | £ 1150.- |
| 800 56 00 | "Virgin" model for cabinet 800 53 00 1190 x 400 x 1800 mm | £ 1440.- |
| 800 76 00 | "Virgin" model for cabinet 800 70 00 1190 x 400 x 1800 mm | £ 1540.- |
| 800 76 04 | "Virgin" model for cabinet 800 70 04 1190 x 400 x 1800 mm | £ 1500.- |

| Item no. | Cabinet with fitted interior W/D/H: 790 x 400 x 1800 mm | Price excl. VAT |
|-----------|--|-----------------|
| 780 54 00 | 3 shelves and 2 units with drawers | £ 1100.- |
| 780 55 00 | Occasional tools for a small workshop | £ 1250.- |
| 780 56 00 | Paperwork tools | £ 1110.- |
| 780 57 00 | Pottery tools | £ 1150.- |
| 780 60 00 | Leather tools | £ 1150.- |
| 780 61 00 | Textiles tools | £ 1250.- |
| 780 63 00 | 4 shelves fitted for 12 portable mechanics vices | £ 1030.- |
| 780 64 50 | Woodwork tools, with shelf for planes | £ 1080.- |
| 780 68 00 | 2 shelves for clamps, 3 boxes for sanding paper, 2 shelves | £ 1480.- |
| 780 69 00 | 2 shelves for set of clamps | £ 1060.- |
| 780 70 00 | Occasional woodwork tools | £ 1340.- |
| 780 71 00 | Occasional metalwork tools | £ 1260.- |

| Item no. | Cabinet with fitted interior W/D/H: 1190 x 400 x 1800 mm | Price excl. VAT |
|-----------|--|-----------------|
| 800 20 00 | Occasional tools for woodwork | £ 1520.- |
| 800 30 00 | Occasional tools for metalwork | £ 1420.- |
| 800 53 00 | Student's and occasional woodwork tools | £ 1590.- |
| 800 62 00 | Student's and occasional metalwork tools | £ 1700.- |
| 800 58 00 | 12 portable drying grates | £ 1740.- |
| 800 59 50 | 6 portable drying grates, 5 shelves and 2 x 6 plastic containers | £ 1670.- |
| 800 63 00 | 4 shelves for 20 portable mechanics vices | £ 1510.- |
| 800 64 50 | Woodwork tools, with shelf for planes | £ 1240.- |
| 800 65 00 | Metalwork tools, on back panel and in tool racks | £ 1200.- |
| 800 66 00 | Electronics tools | £ 1420.- |
| 800 67 00 | Metalwork tools and portable mechanics vices | £ 1600.- |
| 800 70 00 | Occasional wood- and metalwork tools | £ 1930.- |
| 800 70 04 | Occasional tools for woodwork and 4 shelves | £ 1670.- |

| Item no. | Tool sets | Price excl. VAT |
|--|-----------|-----------------|
| For up to date prices on tool sets please look up our website: www.lervad.com Alternatively please contact us per mail or telephone. | | |

Specifications and measurements

| Model | | 780/781 | 800/801 | 900/901 | 920/921 |
|-----------------------------|----|------------------|-------------------|------------------|-------------------|
| High roller shutter cabinet | | | | | |
| - W/D/H exterior | mm | 790 x 400 x 1800 | 1190 x 400 x 1800 | 990 x 610 x 1800 | 1190 x 600 x 1800 |
| - W/D/H interior | mm | 748 x 360 x 1400 | 1148 x 360 x 1400 | 948 x 570 x 1400 | 1148 x 560 x 1400 |
| - Weight with 4 shelves | kg | 68 | 88 | 108 | 118 |
| Roller Shutter Top Cabinet | | | | | |
| - W/D/H exterior | mm | 790 x 400 x 700 | 1190 x 400 x 700 | 990 x 610 x 700 | 1190 x 600 x 700 |
| - W/D/H interior | mm | 748 x 360 x 500 | 1148 x 360 x 500 | 948 x 570 x 500 | 1148 x 560 x 500 |
| - Weight with 1 shelf | kg | 32 | 40 | 49 | 59 |

General sales and delivery terms

These general sales and delivery terms ("Delivery Terms") apply to all deliveries of products and/or services ("Products") from Lervad A/S ("Lervad") to any customer ("Buyer"). Delivery Terms shall be mutually binding on Lervad and Buyer, unless otherwise expressly agreed. Lervad is not bound by the terms set forth by the Buyer, which differs from Delivery Terms, unless such conditions agreed in writing between Lervad and Buyer. Lervad is not bound by the terms set forth by the Buyer, even if Lervad not have objected to such conditions.

1. Order Confirmation

Buyers offer to purchase is only accepted when the Buyer has received Lervad's written, including electronically, acceptance of the offer or Lervad within the acceptance period has received written, including electronically, compliant acceptance by Buyer on a sales offer from Lervad.

2. Delivery and transfer of risk

The Products are delivered ex works Nørre Aaby, Denmark. In the absence of information from the Buyer on transport, Lervad is entitled to ship Products to Buyer on one of Lervad chosen mode of transport. All resulting costs are to be borne by the Buyer and transport takes place at Buyer's risk. Ex works should be interpreted in accordance with the Incoterms in force at the time of the purchase agreement.

3. Delay

If Lervad does not deliver on time, Buyer may in writing demand delivery within a final, reasonable period. Should delivery not take place within this period, the Buyer is entitled to rescind the contract and claim damages for proven direct losses. Buyer cannot hold Lervad accountable for any additional losses as a result of the delay.

4. Prices

Prices for Products are exclusive of VAT and/or other charges. Lervad reserves the right to adjust prices for undelivered Products in case of currency fluctuations, price increases from suppliers, material price increases, changes in wages, government intervention or similar conditions.

5. Packing

Disposable packaging is included in the prices and will not be refunded if returned. Reusable packaging is not included in the price, but will be credited to Buyer upon immediate, free return in good condition in accordance with Lervad's instructions.

6. Payment Terms

Payment must be made within 15 days of the invoice date. Late payments are subject to a penalty interest of 2% per month.

7. Product Information

Any product information - whether it comes from Lervad or one of Lervad's business partners - including information on weight, dimensions, capacity or other technical data in the catalog description, prospectus, advertisement, etc., are to be considered as illustrative and is only binding to the extent, Lervad explicitly mention in promotions and/or order confirmation. Specific requirements from Buyer is binding only to the extent that they are confirmed in writing by Lervad.

8. Protected and confidential information

Any information that is not publicly available, including drawings and technical documents handed over by Lervad to Buyer ("Confidential Information") shall remain Lervad's property and must be treated as confidential by the Buyer. Confidential Information shall not without Lervad's written consent be copied, reproduced or transferred to third parties or used for purposes other than those intended by the transfer. Confidential Information shall be returned on demand.

9. Changes

Lervad reserves the right, without notice to make changes to its products, if this can be done without significantly changing the agreed technical specifications and without substantial modification of the Products form or function.

10. Free repair

Lervad undertake at its own discretion to repair or replace Products which after Lervad's examination proves to be defective at the time of delivery due to manufacturing, design or workmanship, provided that Buyer complain within 12 months from the date of delivery. In case of a complaint Buyer sends, subject to prior agreement with Lervad, product to Lervad accompanied by a delivery note specifying the alleged deficiency. Shipping and insurance is paid for by the Buyer. If Lervad's examination shows the product is not defective, the Product is returned to Buyer. Shipping and insurance is paid for by the Buyer. If Lervad identify deficiencies, Lervad sends the repaired Product or a replacement Product to the Buyer and take over the replaced parts or the defective Product. Lervad choose mode of transport and pays for freight and insurance. Buyer shall not be entitled to any additional services or damages from Lervad as a result of defective products.

11. Product Liability

Lervad is not responsible for any damage caused by a product on real estate or personal property that occurs while the product is in Buyer's possession.

12. Consequential damages/Indirect losses

Lervad is not liable to the Buyer for any consequential or indirect loss arising from or in relation to a contract governed by these Delivery Terms, including, but not limited to, production interruption, loss of profit, loss of goodwill or loss of data.

13. Complaints

Claims for defects, delays, product liability or other claims for compensation must be made in writing to Lervad without undue delay.

14. Intellectual Rights

Besides the Product itself the Buyer acquires no rights in the form of license, patent, copyright, trademark or other intellectual property right related to the Product.

15. Force majeure

Lervad is entitled to cancel the order or suspend delivery of Products, and is also free of responsibility for any missing, incomplete or late delivery, in whole or in part due to circumstances beyond Lervad's reasonable control options, such as riots, civil commotion, war, terrorism, fire, government regulations, strikes, lockouts, slow-down, lack of transportation, shortages, disease or delay in or failure of the supplies from the supplier, accidents in the production or testing, or lack of energy. All Buyer's rights will be suspended or lapse in such cases. Buyer may neither in case of cancellation or delayed delivery seek damages or make any other claims against Lervad.

16. Partial Invalidity

If one or more provisions of these Delivery Terms should be revoked, illegal or unenforceable, none of the remaining provisions validity, legality or feasibility will be affected or impaired thereof.

17. Disputes

Any disputes between the parties arising out of or related to a purchase agreement, which is regulated by these Delivery Terms shall be governed by Danish law. Any dispute which cannot be solved amicably shall be brought before the court by Lervad's jurisdiction.

NB! Sales and delivery terms may change over time. Please look up always valid terms on our web site lervad.com.



BM | lervad

Lervad (U.K.) Ltd.

823 Salisbury House, 29 Finsbury Circus
London EC2M 5QQ

Tel: +44 (0)203 808 6965 - mail@lervad.com
www.lervad.com

Reseller: